

# Eaton 8D0C19Z28PD

Catalog Number: 8D0C19Z28PD

Aluminium square flange receptacle, black zinc nickel plating, with male short PCB contacts, keying D; 8D0C19Z28PD

## General specifications



Product Name	Catalog Number
Eaton Souriau 8D PCB series MIL-DTL- 38999 series III PC tail version connectors	8D0C19Z28PD
Product Length/Depth	34.12 mm
Product Height	Product Width
36 mm	36 mm
Product Weight	
34 g	

## Product specifications

## Resources

Fitted with:

Shielding

Connector orientation

D

Connector type

Contact delivery

Loaded

Contact gender

Pin (Male)

Contact plating

Contact type

Coupling type

Degree of protection

IP67

Layout

28

Plating

Black Zinc Nickel

Shell material

Shell size

19

Mating cycles

500

Operating temperature - max

200 °C

Operating temperature - min

-65 °C

Receptacle type

Square Flange Receptacle

Number Of Contacts

28

Number of cavity #16

2

Number of cavity #20

26

PCB diameter

0.5 mm

Salt spray

500 hour

Working voltage (Vrms)

1800 V



Eaton Corporation plc

Eaton House

30 Pembroke Road

Dublin 4, Ireland

Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)