

Eaton 8D0L23F53PA

Catalog Number: 8D0L23F53PA

Aluminium square flange receptacle, Nickel plating, with male long PCB contacts, keying A; 8D0L23F53PA

General specifications



Product Name	Catalog Number
Eaton Souriau 8D PCB series MIL-DTL- 38999 series III PC tail version connectors	8D0L23F53PA
Product Length/Depth	34.84 mm
Product Height	Product Width
42 mm	42 mm
Product Weight	
49 g	

Product specifications

Resources

Fitted with:

Shielding

Number Of Poles

Connector orientation

A

Connector type

Contact delivery

Not delivered

Contact gender

Pin (Male)

Contact plating

Contact type

Coupling type

Degree of protection

IP67

Layout

53

Plating

Nickel

Shell material

Shell size

23

Mating cycles

500

Operating temperature - max

200 °C

Operating temperature - min

-65 °C

Receptacle type

Square Flange Receptacle

Number of cavity #20

53

PCB diameter

0.5 mm

3D models

8D0L23F53PN_NOT-LISTED.stp

Salt spray

48 hour

Working voltage (Vrms)

1800 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)