

Eaton HBAB46574

Catalog Number: HBAB46574

Eaton Crouse-Hinds series Pauluhn Apex HBA linear fluorescent light fixture, 3/4" (2) NPT hubs, 50/60 Hz, 4 ft lamp, Fluorescent, Acrylic lens, T5HO mini bi-pin, Aluminum, 6-lamp, Through feed, Bolted door, 120-277 Vac, 54W

General specifications



Product Name	Catalog Number
Eaton Crouse-Hinds series Pauluhn Apex HBA linear fluorescent light fixture	HBAB46574
	UPC
	662276402225
Product Length/Depth	Product Height
50.59 in	6.53 in
Product Width	Product Weight
15.72 in	34 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 1

Class III

NEMA Rating

4

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

Fluorescent

Type

Bolted door

Material

Aluminum

Lamp length

4 ft

Number of lamps

6-lamp

Light type

T5HO mini bi-pin

Voltage rating

120-277 Vac

Frequency rating

50/60 Hz

Style

Through feed

Entry size

3/4"

Entry type

(2) NPT hubs

Wattage

54W

Lens material

Acrylic

Resources

Brochures

[Crouse-Hinds series Pauluhn Apex Hazardous Area Linear Fluorescent brochure](#)

Catalogs

[Crouse-Hinds series Pauluhn Apex Hazardous Area Linear Fluorescent catalog page](#)

Installation instructions

IF LBL1404 - Pauluhn Apex Linear Fluorescent

Specifications and datasheets

Eaton Specification Sheet - HBAB46574



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia