

# Eaton HPA46574L

Catalog Number: HPA46574L

Eaton Crouse-Hinds series Pauluhn Summit HPA linear fluorescent light fixture, 3/4" (2) NPT hubs, 50/60 Hz, 4 ft lamp, Fluorescent, Acrylic lens, T5HO mini bi-pin, Aluminum, 6-lamp, Lamps included, Through feed, Quick release, 120-277 Vac, 54W

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton Crouse-Hinds series Pauluhn Summit HPA linear fluorescent light fixture	HPA46574L
	<b>UPC</b>
	662276374522
<b>Product Length/Depth</b>	<b>Product Height</b>
50.59 in	6.59 in
<b>Product Width</b>	<b>Product Weight</b>
15.92 in	36 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

### NEMA Rating

4

### Ingress protection (IP) ratings

IP66

## Product specifications

### Lamp type

Fluorescent

### Type

Quick release

### Material

Aluminum

### Lamp length

4 ft

### Number of lamps

6-lamp

### Light type

T5HO mini bi-pin

### Voltage rating

120-277 Vac

### Frequency rating

50/60 Hz

### Style

Through feed

### Entry size

3/4"

### Entry type

(2) NPT hubs

### Wattage

54W

### Lens material

Acrylic

### Special features

Lamps included

## Resources

### Brochures

[Crouse-Hinds series Pauluhn Summit Hazardous Area Linear  
Fluorescent brochure](#)

## Catalogs

[Crouse-Hinds series Pauluhn Summit Hazardous Area Linear  
Fluorescent catalog page](#)

## Installation instructions

[IF LBL1403 - Pauluhn Summit Linear Fluorescent](#)

## Specifications and datasheets

[Eaton Specification Sheet - HPA46574L](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)