

Eaton UTS718RJFA

Catalog Number: UTS718RJFA

Jam nut receptacle for RJ45, IP68/69K, A position; UTS718RJFA

General specifications



Product Name	Catalog Number
Eaton Souriau UTS series plastic waterproof IP68/69k connector	UTS718RJFA
Product Length/Depth	48 mm
Product Height	Product Width
41.3 mm	41.3 mm
Product Weight	
50 g	

Product specifications

Environmental conditions

RoHS

Flammability rating UL94 V0

REACH

Fire & Smoke

Environmental resistance

Resistant against basic bath

Vibrations level Per IEC 60512-4 - from 10 to 2000 Hz

Resistant against oil

Resistant against acid bath

Resistant against mineral oil

Resistant against gasoline

UV resistant, no degradation after 5 years of exposure in natural environment

Connector accessory option

No backshell possibility

Connector type

Receptacle

Coupling type

1/3 Bayonet

Degree of protection

IP68

Insert material

Polyamide

Shell material

Plastic

Shell size

18

Mating cycles

250

Operating temperature - max

105 °C

Operating temperature - min

-40 °C

Receptacle type

Jam Nut Receptacle

Number Of Contacts

1

Resources

Drawings

[UTS718RJFXC.pdf](#)

Nut material

Aluminium

Salt spray

500 hour



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)